

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/26/2003

Reviewed on 02/26/2003

## 1 Identification of substance

- **Product details**

- **Trade name:** CM 2000 - Part A

- **Article number:** 81-305761A

- **Manufacturer/Supplier:**

DSSCC

4226 Kansas Avenue

Kansas City, KS 66106

Tel.: (866) 329-8724

*Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call (703) 527-3887. Collect calls are accepted.*

- **Information department:** Environmental, Health, and Safety department.

## 2 Composition/Data on components

- **Chemical characterization**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	25-50%
101-68-8	4,4'-methylenediphenyl diisocyanate	25-50%
95-63-6	1,2,4-trimethylbenzene	10-25%
64742-95-6	Solvent naphtha (petroleum), light arom.	£ 10%
108-67-8	mesitylene	£ 10%
103-65-1	propylbenzene	£ 10%
98-82-8	cumene	£ 1%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

## 3 Hazards identification

- **Hazard description:**

Toxic

- **Information pertaining to particular dangers for man and environment:**

The product has to be labelled due to internationally acknowledged calculation procedures using the latest valid versions.

May cause cancer.

Harmful by inhalation.

Irritating to eyes, respiratory system and skin.

May cause sensitisation by inhalation and skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.

Contains isocyanates. See information supplied by the manufacturer.

- **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/26/2003

Reviewed on 02/26/2003

Trade name: CM 2000 - Part A

(Contd. of page 1)

· **NFPA ratings (scale 0 - 4)**

Health = 2  
Fire = 1  
Reactivity = 0

· **HMSI-ratings (scale 0 - 4)**

Health = \*2  
Fire = 1  
Reactivity = 0

## 4 First aid measures

· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.· **After swallowing:** If symptoms persist consult doctor.

## 5 Fire fighting measures

· **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

· **For safety reasons unsuitable extinguishing agents:** Water

· **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

· **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.

· **Measures for environmental protection:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

- USA

(Contd. on page 3)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/26/2003

Reviewed on 02/26/2003

Trade name: CM 2000 - Part A

(Contd. of page 2)

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:**
  - Ensure good ventilation/exhaustion at the workplace.
  - Open and handle receptacle with care.
  - Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
  - Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

TLV (as inhalable aerosols)

101-68-8 4,4'-methylenediphenyl diisocyanate

PEL Short-term value: C 0.2 mg/m<sup>3</sup>, C 0.02 ppm

REL Short-term value: C 0.2\* mg/m<sup>3</sup>, C 0.02\* ppm

Long-term value: 0.05 mg/m<sup>3</sup>, 0.005 ppm

\*10-min

TLV 0.051 mg/m<sup>3</sup>, 0.005 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests, no recommendation to the glove material can be given for the product.

Select the glove material upon consideration of the penetration times, rates of diffusion and the degradation.

(Contd. on page 4)

# Material Safety Data Sheet

## acc. to ISO/DIS 11014

Printing date 02/26/2003

Reviewed on 02/26/2003

Trade name: CM 2000 - Part A

(Contd. of page 3)

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **General Information**

<b>Form:</b>	Fluid
<b>Color:</b>	According to product specification
<b>Odor:</b>	Characteristic

· **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** 149°C (300°F)

· **Flash point:** > 93°C (> 199°F)

· **Ignition temperature:** 400.0°C (752°F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

**Lower:** 0.4 Vol %

**Upper:** 7.0 Vol %

· **Vapor pressure at 20°C (68°F):** 0.0 hPa (0 mm Hg)

· **Density at 20°C (68°F):** 1.130 g/cm<sup>3</sup>

· **Solubility in / Miscibility with**

**Water:** Not miscible or difficult to mix.

· **Solvent content:**

**Organic solvents:** 30.1 %

· **Solids content:** 69.9 %

### 10 Stability and reactivity

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Dangerous reactions** No dangerous reactions known.

(Contd. on page 5)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/26/2003

Reviewed on 02/26/2003

Trade name: CM 2000 - Part A

(Contd. of page 4)

· **Dangerous products of decomposition:** No dangerous decomposition products known.

## 11 Toxicological information

· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****101-68-8 4,4'-methylenediphenyl diisocyanate**

Oral LD50 2200 mg/kg (mouse)

**95-63-6 1,2,4-trimethylbenzene**

Oral LD50 5000 mg/kg (rat)

**64742-95-6 Solvent naphtha (petroleum), light arom.**

Oral LD50 &gt;6800 mg/kg (rat)

Dermal LD50 &gt;3400 mg/kg (rab)

Inhalative LC50/4 h &gt;10.2 mg/l (rat)

· **Primary irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Irritating effect.· **Sensitization:**

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Carcinogenic.

## 12 Ecological information

· **Ecotoxicological effects:**· **Remark:** Harmful to fish· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

## 13 Disposal considerations

· **Product:**· **Recommendation:** Must not be disposed of as normal garbage. Do not allow product to reach sewage system.· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to Federal, State, and Local regulations.

USA

(Contd. on page 6)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/26/2003

Reviewed on 02/26/2003

Trade name: CM 2000 - Part A

(Contd. of page 5)

## 14 Transport information

· DOT regulations:	
· Hazard class:	-
· Limited Quantity Exemption:	No Limited Quantity exemption applies for this shipping class.
· U.S. Domestic Ground Shipments:	Same as listed for Standard Shipments above.
· U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:	Same as listed for Standard Shipments above.
· Land transport ADR/RID (cross-border):	
· ADR/RID class:	-
· Maritime transport IMDG:	
· IMDG Class:	-
· Marine pollutant:	Yes
· Air transport ICAO-TI and IATA-DGR:	
· ICAO/IATA Class:	-

## 15 Regulations

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	25-50%
101-68-8	4,4'-methylenediphenyl diisocyanate	25-50%
95-63-6	1,2,4-trimethylbenzene	10-25%
98-82-8	cumene	£1%
1330-20-7	xylene	£1%

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to the State of California (Prop. 65) to cause cancer:

64742-95-6 Solvent naphtha (petroleum), light arom.

· Chemicals known to the State of California (Prop. 65) to cause reproductive toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	D; CBD
101-68-8	4,4'-methylenediphenyl diisocyanate	CBD; D
98-82-8	cumene	D; CBD
1330-20-7	xylene	D

(Contd. on page 7)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 02/26/2003

Reviewed on 02/26/2003

Trade name: CM 2000 - Part A

(Contd. of page 6)

<b>· IARC (International Agency for Research on Cancer)</b>		
101-68-8	4,4'-methylenediphenyl diisocyanate	3
1330-20-7	xylene	3
<b>· NTP (National Toxicology Program)</b>		
None of the ingredients is listed.		
<b>· TLV (Threshold Limit Value established by ACGIH)</b>		
1330-20-7	xylene	A4
<b>· MAK (German Maximum Workplace Concentration)</b>		
9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	3
101-68-8	4,4'-methylenediphenyl diisocyanate	3
<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
None of the ingredients is listed.		
<b>· OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
None of the ingredients is listed.		

**· Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

**· Hazard symbols:**

Toxic

**· Hazard-determining components of labelling:**

diphenylmethanediisocyanate, isomeres and homologues

4,4'-methylenediphenyl diisocyanate

Solvent naphtha (petroleum), light arom.

**· Risk phrases:**

May cause cancer.

Harmful by inhalation.

Irritating to eyes, respiratory system and skin.

May cause sensitisation by inhalation and skin contact.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.

**· Safety phrases:**

Avoid exposure - obtain special instructions before use.

Keep out of the reach of children.

Do not breathe fumes/aerosol.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

Wear suitable gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**· Special labeling of certain preparations:**

Contains isocyanates. See information supplied by the manufacturer.

**· National regulations:**

**· Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

USA

(Contd. on page 8)

**Material Safety Data Sheet**  
**acc. to ISO/DIS 11014**

Printing date 02/26/2003

Reviewed on 02/26/2003

**Trade name: CM 2000 - Part A**

(Contd. of page 7)

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing MSDS:** Environmental, Health and Safety department
- **Contact:** Matthew Paquette

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 04/17/2003

Reviewed on 04/17/2003

## 1 Identification of substance

· **Product details**

· **Trade name:** CM 2000 - Part B

· **Article number:** 81-305761B

· **Manufacturer/Supplier:**

DSSCC

4226 Kansas Avenue

Kansas City, KS 66106

Tel.: (866) 329-8724

*Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call (703) 527-3887. Collect calls are accepted.*

· **Information department:** Environmental, Health, and Safety department.

## 2 Composition/Data on components

· **Chemical characterization**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

95-63-6	1,2,4-trimethylbenzene	10-25%
1330-20-7	xylene	£ 2.5%
98-82-8	cumene	£ 1%
25068-38-6	Bisphenol A/Epichlorohydrin	£ 1%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

## 3 Hazards identification

· **Hazard description:**

Toxic

Dangerous for the environment

· **Information pertaining to particular dangers for man and environment:**

*The product has to be labelled due to internationally acknowledged calculation procedures using the latest valid versions.*

*May cause cancer.*

*Harmful by inhalation.*

*Irritating to eyes, respiratory system and skin.*

*Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

*Harmful: may cause lung damage if swallowed.*

*Contains epoxy constituents. See information supplied by the manufacturer.*

· **Classification system:**

*The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.*

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 2

Reactivity = 0

(Contd. on page 2)

# Material Safety Data Sheet

acc. to ISO/DIS 11014


Printing date 04/17/2003

Reviewed on 04/17/2003

Trade name: CM 2000 - Part B

(Contd. of page 1)

## · HMIS-ratings (scale 0 - 4)



Health = 2

Fire = 2

Reactivity = 0

## 4 First aid measures

### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

### · After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

### · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### · After swallowing: If symptoms persist consult doctor.

## 5 Fire fighting measures

### · Suitable extinguishing agents: CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

### · For safety reasons unsuitable extinguishing agents: Water

### · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

### · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

### · Measures for environmental protection:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

## 7 Handling and storage

### · Handling:

### · Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 3)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 04/17/2003

Reviewed on 04/17/2003

Trade name: CM 2000 - Part B

(Contd. of page 2)

Keep respiratory protective device available.

- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Components with limit values that require monitoring at the workplace:**

### 1330-20-7 xylene

PEL	435 mg/m <sup>3</sup> , 100 ppm
REL	Short-term value: 655 mg/m <sup>3</sup> , 150 ppm Long-term value: 435 mg/m <sup>3</sup> , 100 ppm (o-, m-, & p-isomers)
TLV	Short-term value: 651 mg/m <sup>3</sup> , 150 ppm Long-term value: 434 mg/m <sup>3</sup> , 100 ppm
BEI	

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests, no recommendation to the glove material can be given for the product.  
Select the glove material upon consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 04/17/2003

Reviewed on 04/17/2003

Trade name: CM 2000 - Part B

(Contd. of page 3)

· **Eye protection:**

Tightly sealed goggles

## 9 Physical and chemical properties

### · General Information

<b>Form:</b>	Fluid
<b>Color:</b>	According to product specification
<b>Odor:</b>	Characteristic

### · Change in condition

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** 149°C (300°F)

· **Flash point:** > 63°C (> 145°F)

· **Ignition temperature:** 485.0°C (905°F)

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

### · Explosion limits:

<b>Lower:</b>	1.1 Vol %
<b>Upper:</b>	7.0 Vol %

· **Vapor pressure at 20°C (68°F):** 5.0 hPa (4 mm Hg)

· **Density at 20°C (68°F):** 0.937 g/cm<sup>3</sup>

### · Solubility in / Miscibility with

**Water:** Not miscible or difficult to mix.

### · Solvent content:

**Organic solvents:** 22.1 %

· **Solids content:** 40.2 %

## 10 Stability and reactivity

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Dangerous reactions** No dangerous reactions known.

· **Dangerous products of decomposition:** No dangerous decomposition products known.

USA

(Contd. on page 5)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 04/17/2003

Reviewed on 04/17/2003

Trade name: CM 2000 - Part B

(Contd. of page 4)

## 11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

95-63-6 1,2,4-trimethylbenzene

Oral LD50 5000 mg/kg (rat)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Carcinogenic.

## 12 Ecological information

· **Ecotoxicological effects:**

· **Remark:** Toxic for fish

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

## 13 Disposal considerations

· **Product:**

· **Recommendation:** Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to Federal, State, and Local regulations.

## 14 Transport information

· **DOT regulations:**

· **Hazard class:**

3

· **Identification number:**

NA1993

· **Proper shipping name (technical name):**

COMBUSTIBLE LIQUID, N.O.S (Aromatic 100)

· **Label**

Combustible liquid

(Contd. on page 6)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 04/17/2003

Reviewed on 04/17/2003

Trade name: CM 2000 - Part B

(Contd. of page 5)

· <b>Remarks:</b>	Add "Marine Pollutant" to end of proper shipping name if shipping in a bulk container (>119 gallons).
· <b>Limited Quantity Exemption:</b>	Limited Quantity applies for inner packages 1.3 gallons or smaller.
· <b>U.S. Domestic Ground Shipments:</b>	Combustible liquids, n.o.s. (Aromatic 100), NA1993, PG III
· <b>U.S. Domestic Ground Non-Bulk (119 gal or less per container) Shipments:</b>	Not Regulated by D.O.T.
· <b>Land transport ADR/RID (cross-border):</b>	
· <b>ADR/RID class:</b>	-
· <b>Maritime transport IMDG:</b>	
· <b>IMDG Class:</b>	-
· <b>Marine pollutant:</b>	Yes
· <b>Air transport ICAO-TI and IATA-DGR:</b>	
· <b>ICAO/IATA Class:</b>	-

## 15 Regulations

· Sara

· **Section 355 (extremely hazardous substances):**

75-56-9 propylene oxide

· **Section 313 (Specific toxic chemical listings):**

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

95-63-6	1,2,4-trimethylbenzene	10-25%
1330-20-7	xylene	£2.5%
98-82-8	cumene	£1%
100-41-4	ethylbenzene	£1%
75-56-9	propylene oxide	£0.01%

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**· **Chemicals known to the State of California (Prop. 65) to cause cancer:**

25068-38-6 Bisphenol A/Epichlorohydrin

1333-86-4 Carbon black

75-56-9 propylene oxide

· **Chemicals known to the State of California (Prop. 65) to cause reproductive toxicity:**

None of the ingredients is listed.

· **Carcinogen categories**· **EPA (Environmental Protection Agency)**

1330-20-7	xylene	D
98-82-8	cumene	D; CBD
100-41-4	ethylbenzene	D

(Contd. on page 7)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 04/17/2003

Reviewed on 04/17/2003

Trade name: CM 2000 - Part B

(Contd. of page 6)

75-56-9	propylene oxide	B2
<b>· IARC (International Agency for Research on Cancer)</b>		
1330-20-7	xylene	3
1333-86-4	Carbon black	2B
75-56-9	propylene oxide	2B
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	3
<b>· NTP (National Toxicology Program)</b>		
75-56-9	propylene oxide	R
<b>· TLV (Threshold Limit Value established by ACGIH)</b>		
1330-20-7	xylene	A4
1333-86-4	Carbon black	A4
75-56-9	propylene oxide	A3
<b>· MAK (German Maximum Workplace Concentration)</b>		
1333-86-4	Carbon black	3
75-56-9	propylene oxide	2
1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	3
<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
1333-86-4	Carbon black	
75-56-9	propylene oxide	
<b>· OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
None of the ingredients is listed.		

**· Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

**· Hazard symbols:**

Toxic

Dangerous for the environment

**· Hazard-determining components of labelling:**

Solvent naphtha (petroleum), light arom.

1,2,4-trimethylbenzene

**· Risk phrases:**

May cause cancer.

Harmful by inhalation.

Irritating to eyes, respiratory system and skin.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.

**· Safety phrases:**

Avoid exposure - obtain special instructions before use.

Keep out of the reach of children.

Keep container in a well-ventilated place.

Keep away from food, drink and animal feedingstuffs.

Keep away from sources of ignition - No smoking.

When using do not eat or drink.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

(Contd. on page 8)

**Material Safety Data Sheet**  
*acc. to ISO/DIS 11014*

Printing date 04/17/2003

Reviewed on 04/17/2003

**Trade name: CM 2000 - Part B**

(Contd. of page 7)

- **Special labeling of certain preparations:**  
*Contains epoxy constituents. See information supplied by the manufacturer.*
- **National regulations:**
- **Water hazard class:** *Water hazard class 3 (Self-assessment): extremely hazardous for water.*

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing MSDS:** *Environmental, Health and Safety department*
- **Contact:** *Matthew Paquette*

USA